State of California AIR RESOURCE: BOARD

EXECUTIVE ORDER A-31-18 Relating to Certification of New Motor Vehicle Heavy-Duty Engines

HINO MOTORS, LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Hino Motors, Ltd. 1987 model-year diesel engines have shown compliance with the transient test procedure and standards and are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HHM0038EAA7	234	(3.8)	Engine Modification (Diesel Injection-Direct) (Turbocharger)		

Engine models and codes are listed on attachments.

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	
HHM0038EAA7	0.6	1.7	4.5	

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this _____ day of September, 1986.

K. D. Drachand, Chief Mobile Source Division

17-6-3

Page 1

01.00.00

19_87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-31-18

Manufacturer HINO MOTORS, LTD.	Engine Family HHM0038EAA7
Evaporative Family	Engine Type L-4, 4 Stroke Cycle, TC
	Liters (CID)3,839 (234)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or
Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger

VEHICLE MODELS:

ine:	Frontx	Mid.	Rear	
Orive:	FWD	RWD x	4WD Full Time	4WD Part Time

E.O.#_	A.	-31	-18	
Pano	2			

19 87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufactu	rer HINO	MOTORS, LTD.		Engine Family	ннмос)38EAA7
Liter (CI	D) 3.839	(234)				ycle, Turbocharge
Emission	Control Sys. a	nd (Special Fea	atures)	Engine Mo	odificati	ion (TC)(PID)
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm ³ /stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm ³ /stroke (lbs/Hr)
;						
₩04C-TC	Diesel Kiki 22000-5520	Diesel Kiki 23600-1880	120@ 3,200	71 (49.5)	246@ 2,000	77 (33.5)
	•					
	-					
				·		
nate of Is	Sue August	1, 1986	Revision	ons:		· · · · · · · · · · · · · · · · · · ·